

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	1	"6195330".pn. and path same frames	USPAT	OR	OFF	2005/07/11 12:26
L18	0	"6195330".pn. and path with frames	USPAT	OR	OFF	2005/07/11 12:26
L17	1	"6195330".pn. and synchronous same switch\$3	USPAT	OR	OFF	2005/07/11 12:26
L10	1	"6195330".pn. and read\$3 with buffer\$4	USPAT	OR	OFF	2005/07/11 12:19
L16	0	"6674755".pn. and (stor\$3 buffer\$4 memor\$3) with qualit\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:05
L15	1	"6674755".pn. and (stor\$3 buffer\$4 memor\$3) same qualit\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:05
L14	0	"6674755.pn" and quality	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:04
L13	0	"6674755.pn" and qualit\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:04
L12	0	"6674755.pn" and (stor\$3 buffer\$4 memor\$3) same qualit\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:04
L11	0	"6674755.pn" and (stor\$3 buffer\$4 memor\$3) with qualit\$3	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:03
L5	0	"6674755.pn" and overhead\$	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 12:02
L9	1	"6195330".pn. and controller same select\$3	USPAT	OR	OFF	2005/07/11 11:58
S64	1	"6195330".pn. and (character\$ superior\$ propert\$ parameter)	USPAT	OR	OFF	2005/07/11 11:52

L8	1	"6195330".pn. and controller	USPAT	OR	OFF	2005/07/11 11:52
L7	0	"6195330".pn. and controller with select\$3	USPAT	OR	OFF	2005/07/11 11:52
L6	0	"6195330".pn. and switch\$3 with controller	USPAT	OR	OFF	2005/07/11 11:52
L4	0	"6674755.pn" and overhead\$ same (marker priorit\$3 tag identifi\$7 indicat\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:11
L3	0	"6674755.pn" and overhead\$ with (marker priorit\$3 tag identifi\$7 indicat\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:11
L2	0	"6674755.pn" and overhead\$ with (identifi\$7 indicat\$3)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 11:11
S76	1	sonet and selector same compar\$3 with qualit\$3 and (frame signal) with (identifier indicator marker tag) and payload	USPAT	OR	OFF	2005/07/11 01:39
S75	0	sonet and selector same compar\$3 with qualit\$3 and (frame signal) with (identifier indicator marker tag) and envelop\$	USPAT	OR	OFF	2005/07/11 01:39
S74	0	sonet and selector same compar\$3 with qualit\$3 and (frame signal) with (identifier indicator marker tag) and envelop	USPAT	OR	OFF	2005/07/11 01:39
S73	0	sonet and selector same compar\$3 with qualit\$3 and (frame signal) with (identifier indicator marker tag) and container	USPAT	OR	OFF	2005/07/11 01:38
S72	1	sonet and selector same compar\$3 with qualit\$3 and (frame signal) with (identifier indicator marker tag)	USPAT	OR	OFF	2005/07/11 01:38
S71	0	sonet and selector same compar\$3 with qualit\$3 and (frame signal) with (identifier marker tag)	USPAT	OR	OFF	2005/07/11 01:35
S70	0	sonet and selector same compar\$3 with qualit\$3 and frame with identifier	USPAT	OR	OFF	2005/07/11 01:35
S69	0	sonet and selector same compar\$3 with qualit\$3 and frame with indicator	USPAT	OR	OFF	2005/07/11 01:35

S68	0	sonet and selector same compar\$3 with qualit\$3 and frame with marker	USPAT	OR	OFF	2005/07/11 01:34
S67	0	sonet and selector same compar\$3 with qualit\$3 and frame with tag	USPAT	OR	OFF	2005/07/11 01:34
S66	5	sonet and selector same compar\$3 with qualit\$3	USPAT	OR	OFF	2005/07/11 01:34
S65	0	sonet same selector same compar\$3 with qualit\$3	USPAT	OR	OFF	2005/07/11 01:34
S63	0	"6195330".pn. and select\$3 same (character\$ superior\$ propert\$ parameter)	USPAT	OR	OFF	2005/07/11 01:32
S62	1	"6195330".pn. and select\$3 with corrupt\$	USPAT	OR	OFF	2005/07/11 01:31
S61	1	"6195330".pn. and select\$3 with (signal frame)	USPAT	OR	OFF	2005/07/11 01:30
S60	0	"6195330".pn. and qualit\$3	USPAT	OR	OFF	2005/07/11 01:26
S59	0	"6195330".pn. and select\$ same qualit\$3	USPAT	OR	OFF	2005/07/11 01:26
S58	1	"6195330".pn. and marker with bit	USPAT	OR	OFF	2005/07/11 01:26
S57	1	"6195330".pn. and (contain\$3 envelop\$)	USPAT	OR	OFF	2005/07/11 01:22
S56	1	"6195330".pn. and sequen\$	USPAT	OR	OFF	2005/07/11 01:19
S55	1	"6195330".pn. and order	USPAT	OR	OFF	2005/07/11 01:15
S54	0	"6195330".pn. and sequential\$4	USPAT	OR	OFF	2005/07/11 01:14
S53	1	"6195330".pn. and frame with marker with select\$3	USPAT	OR	OFF	2005/07/11 01:04
S52	1	"6195330".pn. and frame with marker	USPAT	OR	OFF	2005/07/11 01:01
S50	0	"6195330".pn. and tag\$4	USPAT	OR	OFF	2005/07/11 00:59
S49	1	"6195330".pn. and "same" with (frame signal packet payload)	USPAT	OR	OFF	2005/07/11 00:59
S48	0	"6195330".pn. and working same protection same "same" with (frame signal packet payload)	USPAT	OR	OFF	2005/07/11 00:56
S47	1	"6195330".pn. and select\$3 with frame with align\$3	USPAT	OR	OFF	2005/07/11 00:56
S46	1	"6195330".pn. and select\$3 and frame with align\$3	USPAT	OR	OFF	2005/07/11 00:50
S45	1	"6195330".pn. and select\$3	USPAT	OR	OFF	2005/07/11 00:45
S44	0	"6195330".pn. and selector	USPAT	OR	OFF	2005/07/11 00:44

S31	2	"20020176432".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 00:44
S43	2	"6195330".pn. and protect\$3 with switch	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 00:31
S42	0	"6195330".pn. and (standby stand-by)	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR .	ON	2005/07/11 00:31
S41	2	"6195330".pn.	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 00:30
S1	2003	((optical near3 (switch\$3 or rout\$3)) or sonet) with ((redundan\$4 near2 path\$3) or (alternat\$3 or multipath\$3 or multi-path\$3))	US-PGPUB; USPAT; EPO; DERWENT; IBM_TDB	OR	ON	2005/07/11 00:30